

ENDEMIC BUTTERFLIES IN THE LEPIDOPTERA COLLECTION PRESERVED AT THE "LUCIAN BLAGA" UNIVERSITY OF SIBIU

STANCA-MOISE Cristina

Abstract. The study presents data on Macrolepidoptera endemic species of Lepidoptera Collection from the "Lucian Blaga" University of Sibiu. This collection is composed of 21 families, 334 genera and 560 species; among these species, there can be found also 8 endemic species of Macrolepidopterans collected from the mountains of Romania. Most species come from the Carpathian habitats (Babele, Jepilor Valley, Caraiman, Peak Vârful cu Dor (Bucegi), Zagan Mountain (Ciucas Massif), Balea Lake (Făgăraș), Rodna Mountains). The endemic species of the collection are: *Parnassius mnemosyne wagneri* Bryk, 1925, *Erebia epiphron transylvanica* Rebel, 1908, *E. melas carpathicola* Popescu-Gorj & Alexinschi, 1959, *E. manto trajanus* Hormuzachi, 1895, *Erebia melas carpathicola* Popescu-Gorj & Alexinschi, 1959, *E. pronoe regalis* Hormuzachi, 1937, *Erebia cassioides neleus* (Freyer, 1833), *Boloria pales carpathomeridionalis* Crosson & Popescu-Gorj, 1963. Therefore the paper brings important contributions to the knowledge regarding the distribution of endemic species and highlights the areas generate and conserve endemic species.

Keywords: Lepidoptera, collection, endemic species.

Rezumat. Specii endemice de fluturi din Colecția Universității "Lucian Blaga" din Sibiu. Lucrarea prezintă date referitoare la speciile de macrolepidoptere endemice din Colecția de Lepidoptere a Universității "Lucian Blaga" din Sibiu. Această colecție are în componență 21 familii, 334 genuri, 560 specii între acestea găsindu-se și 8 specii de macrolepidoptere endemice, colectate din câteva masive munțioase ale României. Majoritatea speciilor provin din habitatele Munților Carpați (Babele, Valea Jepilor, Caraiman, Vârful cu Dor (Munții Bucegi), Muntele Zăgan (Masivul Ciucăș), Lacul Bâlea (Munții Făgăraș), Munții Rodnei). Speciile endemice din colecție sunt: *Parnassius mnemosyne wagneri* Bryk, 1925, *Erebia epiphron transylvanica* Rebel, 1908, *E. melas carpathicola* Popescu-Gorj & Alexinschi, 1959, *E. manto trajanus* Hormuzachi, 1895, *E. melas carpathicola* Popescu-Gorj & Alexinschi, 1959, *E. pronoe regalis* Hormuzachi, 1937, *E. cassioides neleus* (Freyer, 1833), *Boloria pales carpathomeridionalis* Crosson & Popescu-Gorj, 1963. Astfel, lucrarea aduce contribuții importante la cunoașterea distribuției speciilor endemice și evidențiază zonele endemogeneratoare și endemoconservatoare din care provin.

Cuvinte cheie: lepidoptere, colecție, specii endemice.

INTRODUCTION

Being among the most colourful among the taxa of invertebrates, now it is known more about the ecology and taxonomy of butterflies than about any other major group of insects. Over time, there have been, achieved collections, studies and research to learn more about the biology and ethology of butterflies. Lepidoptera species are made up of distinct communities, living in specific sub-regions, in different geographical and ecological conditions. These features contribute to the value of the biological indicators of different species of butterflies (SZEKELY, 2003a).

This paper aims to present butterfly endemic species (Rhopalocera) from the Lepidoptera collection of the "Lucian Blaga" University of Sibiu (STANCA-MOISE, 2015b, c; 2016a, b). All the eight species of butterflies listed in the paper, are found in the list of endemic species for Romania (RÁKOSY, 1997). Endemic species are the species that have as area of distribution only a certain restricted, well-defined geographical area, such as a forest, a lake, or other well-defined area or habitat (RÁKOSY, 1997; BURNAZ, 2008). Although no list of this nature can ever be considered comprehensive, it is hoped that the list is a complete and updated one (SZEKELY, 1999b). From the literature and personal observations, the paper provides information on each endemic species, including collecting settlements and extensive details on the distribution in Romania, biology, ecology and ethology, host plants, hibernation period, flight of each species, as well as the degree of IUCN endangerment (RÁKOSY, 2003, 2005).

The list is renders systematically the family, subfamily and species. Each species is attributed to one of the habitats according to current research and based on personal observations in the field. These ecological affinities belong to three main categories namely species dependent on alpine zone (1500-2500 m), typical to subalpine habitats (1000-1500 m), and a species from Dobrogea area, flying at altitudes of 0-800 m.

MATERIALS AND METHODS

Most species were collected from the mountains, especially from the Southern and Eastern Carpathians. The nomenclature is in accordance with the systematic list of the catalog of Lepidoptera of Romania (RÁKOSY et al., 2003). For each endemic subspecies, there are listed: collection data, the day, the month, the year, the city and altitude.

RESULTS AND DISCUSSIONS

Below it is the systematic list of endemic species existing in the collection of the "Lucian Blaga" University of Sibiu.

Family PAPILIONIDAE*Parnassius mnemosyne wagneri* Bryk, 1925**Biogeographical region:** North-Muntenia, Dobrudja, Moldavia**Habitat type:** wooded steppe, bush areas, limestone areas, steppe meadows, karst canyons**Status:** very local**Altitude:** 0-800 m**Flight period:** ½ May - ½ June**Protection status:** VU, NT**Larval food plants:** *Corydalis solida*, *C. cava*, *C. intermedia*.**Overwintering stage:** Hibernates in egg stage.**Migratory status:** nonmigratory**No. of specimens:** 2♂♂, Canaraua Fetii (DB), May 24, 25, 1997, 150 m. alt., 1♀, Canaraua Fetii (DB) (SZEKELY, 2006), May 26, 1997, 150 m. altitude.**Family NYMPHALIDAE****Subfamily SATYRINAE***Erebia ephiphron transsylvanica* Rebel, 1908**Biogeographical region:** the Eastern Carpathians, the Southern Carpathians (eastern part)**Habitat type:** alpine, sub-alpine meadows, alpine, sub-alpine rock lawns, alpine, sub-alpine bush areas**Status:** very local, common, very common**Altitude:** 1200-2500 m.**Flight period:** ½ June-August**Protection status:** VU, NT**Larval food plants:** *Nardus stricta*, *Festuca ovina*, *F. rubra*, *Poa annua*, *Deschampsia flexuosa*, *D. cespitosa*.**Overwintering stage:** Hibernates in larva stage.**Migratory status:** nonmigratory**Records:** Bucegi Mountains, Rodna Mountains, Ciucas Mountains, Ceahlău Mountains, Piatra Craiului Mountains, Făgăraș Mountains, Negoiu, Parâng Mountains, Bicazul Gorges**No. of specimens:** 1♂, Babele (Bucegi Mountains), August 11, 1984, 1 ♀, Zăgan Moutain (Ciucas Massif) (SZEKELY, 1994), July 20, 1993, 1700 m alt.*Erebia manto trajanu* Hormuzachi, 1895**Biogeographical region:** the Eastern Carpathians, the Southern Carpathians**Habitat type:** sub-alpine meadows, sub-alpine rock meadows, sub-alpine bush areas**Status:** localized, common, very common**Altitude:** 1200-2000 m.**Flight period:** ½ July - ½ September**Protection status:** VU, NT**Larval food plants:** *Festuca rubra***Overwintering stage:** Hibernates in larva stage.**Migratory status:** nonmigratory**Records:** Bucegi Mountains, Piatra Arsă, Retevoiu, Retezat Mountains, Rodna Mountains, Ciucas Mountains, Arjana Mountains, Pietrosu, Berghina, Parâng Mountains, Babele, Hăşmaşu Mare, Ecem, Piatra Singuratică, Călimani Mountains, Făgăraș Mountains (*Capra*), Rarău-Giumalău Mountains**No. of specimens:** 1♀, Jepilor Valley (Bucegi Mountains), August 11, 1994, 1800 m alt.*Erebia gorge fredericikoenigi* Varga, 1999**Biogeographical region:** the Eastern Carpathians (Ceahlău), the Southern Carpathians, the Apuseni Mountains**Habitat type:** sub-alpine meadows, sub-alpine rock meadows, sub-alpine slopes**Status:** localized, rare**Altitude:** 1200-2400 m.**Flight period:** July - ½ August**Protection status:** VU, NT (RÁKOSY, 2002)**Larval food plants:** *Poa minor*, *Poa alpina*, *Sesleria varia***Overwintering stage:** Hibernates in larva stage.**Migratory status:** nonmigratory**Records:** Bucegi Mountains (SZEKELY, 2003b), Godeanu-Țarcu Mountains, Parâng Mountains, Negoiu, Apuseni Mountains, Chile Runcului, Piatra Craiului Mountains, Retezat Mountains, Stănuletei, Borăscu, Scărișoara, Pietrii Peak, Peleaga, Bucura**No. of specimens:** 1♂, Bâlea Lake (Făgăraș Mountains), July 29, 1994, 2200 m alt.*Erebia melas carpathicola* Popescu-Gorj & Alexinschi, 1959**Biogeographical region:** the Eastern Carpathians**Habitat type:** limestone areas, rock slopes, debris slopes, juniper areas, bush areas, rock meadows**Status:** very local, rare

Altitude: 1000-2000 m.

Flight period: ½ June-July

Protection status: VU, NT

Larval food plants: *Festuca ovina*

Overwintering stage: Hibernates in larva stage

Migratory status: nonmigratory

Records: Hășmașu Mare Mountains, Hășmașu Mic Mountains, Harghita Mountains, Hășmașu Negru Mountains, Ciucăș Mountains, Ecem, Piatra Singuratică

No. of specimens: 1♂, Rodna Mountains, July 23, 1985.

Erebia pronoe regalis Hormuzachi, 1937

Biogeographical region: the Southern Carpathians, Retezat Mts.

Habitat type: sub-alpine meadows, sub-alpine, alpine rock meadows, sub-alpine, alpine bush areas, juniper areas

Status: very local, common

Altitude: 1400-2200 m.

Flight period: ½ July-August

Protection status: VU, NT

Larval food plants: *Festuca ovina*

Overwintering stage: It hibernates in the larval stage.

Migratory status: nonmigratory

Records: Bucegi Mountains, Piatra Craiului Mountains, Piatra Arsă, Caraiman, Babele, Jepilor Valley (2000 m), Retezat Mountains

No. of specimens: 1♂, Caraiman (Bucegi Mountains), August 1, 1990, 2100 m alt.

Erebia cassioides neleus (Freyer, 1833)

Biogeographical region: the Southern Carpathians (West)

Habitat type: sub-alpine meadows, sub-alpine, alpine rock meadows, sub-alpine, alpine bush areas

Status: very local, common

Altitude: 1400-2500 m

Flight period: ½ July-August

Protection status: EN, VU, NT

Larval food plants: *Festuca ovina*

Overwintering stage: It hibernates in the larval stage.

Migratory status: nonmigratory

Records: Retezat Mountains, Arjana Mt., Cerna Mountains, Godeanu Țarcu Mountains

No. specimens: 1♂, Cerna Mountains, June 9,-2000, 2000 m. alt.

Subfamily HELICONIINAE

Boloria pales carpathomeridionalis Crosson & Popescu-Gorj, 1963

Biogeographical region: the Southern Carpathians

Habitat type: alpine sub-alpine meadows, alpine tundra, alpine sub-alpine rocky slopes (RÁKOSY, 1993)

Status: very local, common

Altitude: 1600-2500 m

Flight period: ½ June-July (G1), August-September (G2)

Protection status: VU, NT

Larval food plants: *Viola calcarata*

Overwintering stage: It hibernates in the larval stage.

Migratory status: nonmigratory

Records: Bucegi Mountains, Babele, Valea Zănoagei, Cocora Mountains, Moraru Mt., Valea Obârșiei, Bolboci, Bușteni, Caraiman, Valea Făgăraș Mountains, Capra Peak, Bâlea Lake, Parâng Mountains, Mt. Surul, Jepii Mari, Furnica peak, Coștila, altitude 2000 m., Omul, Piatra Arsă

No. of specimens: 2♂♂, Babele (Bucegi Mountains), August 11, 1981, 1♀, Vârful cu Dor (Bucegi Mountains), 28.VIII.1998.

CONCLUSIONS

The Lepidoptera fauna diversity in Romania is reflected not only by the large number of papers: (SZEKELY, 1996, 1999a, b, 2008, 2010, 2011, 2014; MOISE, 2011a, b, c, d; STANCA-MOISE, 2015a, d, e; STANCA-MOISE, 2016c, d, e, f; STANCA-MOISE, 2017a, b), but also by numerous collections kept in museums in Romania (POPESCU-GORJ, 1964; NEMEŞ & VOICU, 1973; KÖNIG, 1975; CIOCHIA & BARBU, 1980; CIOCHIA & STANCA, 2000; MARCU & RÁKOSY, 2002; SZÉKELY & CERNEA, 2007), from amateur collectors or educational institutions. Of the 560 common species, Lepidoptera Collection of the "Lucian Blaga" University contains also rare and endemic fauna of Romania. These taxa are very important in scientific and biogeographical terms (SZEKELY,

1995). These endemic species can easily become threatened or extinct species if their habitat is changed, especially, but not only because of human activities (including the introduction of new species).

After analysis the 560 species belonging to 334 genera and 21 families from the collection of Lepidoptera of the "Lucian Blaga" University of Sibiu, we have identified eight taxa (13 species), distributed in the families: Papilionidae (1 species), Satyridae (7 species).

Regarding the habitat preferences, 7 species are dependent on alpine and subalpine zone (1000-2500 m) and one species prefers low altitude habitats in Dobrogea (0-800m). Most specimens come from the habitats of the Carpathians (Babele, Jepilor Valley, Caraiman, Vârful cu Dor (Bucegi), Zagan Mountain (Ciucas Massif), Balea Lake (Făgăraș), Rodna Mountains. The basis of trophic larvae is limited preferring a small number of plant species that are presented in the paper. According to the degree of endangerment all are EN, VU or NT taxa.

AKNOWLEDGEMENTS

I thank to Mr. Levente Szekely from Brașov for a small part (560 species) from his own rich collection (40,000 specimens belonging to 2,600 species) that he sold to our institution, the "Lucian Blaga" University of Sibiu. I want to express an homage to the Professor Victor Ciochia who was the initiator of the acquisition of this collection and with whom I worked to organise it (STANCĂ-MOISE, 2015e).

REFERENCES

- BURNAZ S. 2008. Endemite și specii rare în colecția de lepidoptere a Muzeului Civilizației Dacice și Romane Deva (județul Hunedoara, România). *Oltenia. Studii și comunicări. Științele Naturii*. Muzeul Olteniei Craiova. **24**: 130-138.
- CIOCHIA V. & BARBU AL. 1980. Catalogul colecției de lepidoptere "N. Delvig" a Muzeului Județean Brașov. *Științele Naturii. CUMIDAVA XII. 4(149)*. 61 pp.
- CIOCHIA V. & STANCĂ CRISTINA. 2000. *Catalogul colecției de lepidoptere a Universității "Lucian Blaga" din Sibiu*. Edit. Pentru Viață. Sibiu. 164 pp.
- KÖNIG F. 1975. *Catalogul colecției de lepidopere a Muzeului Banatului*. Edit. Muzeul Banatului Timișoara. 164 pp.
- MARCU AURORA & RÁKOSY L. 2002. *Catalogul colecției de lepidoptere Dr. Vladimir Olaru, din Complexul Muzeal de Științele Naturii Galați*. Societatea Lepidopterologică Română. Cluj-Napoca. 172 pp.
- MOISE CRISTINA 2011a. Lepidoptera (Insecta: Lepidoptera) in the collection of Daniel Czekelius from Natural History Museum of Sibiu, collected from "Dumbrava Sibiului" Forest, Romania. *Analele Universității Oradea. Fascicola Biologie*. **18**(2): 104-110.
- MOISE CRISTINA 2011b. Lepidoptera (Insecta: Lepidoptera) in the Collection of Eugen Worell from Natural History Museum of Sibiu, Collected from "Dumbrava Sibiului" Forest. *Lucrări științifice. Seria Horticultură*. **54**(2): 571-576.
- MOISE CRISTINA 2011c. Study on the Macrolepidoptera Collected from the Dumbrava Sibiului Forest existing within the Collection of Dr. Viktor Weindel. Muzeul Olteniei Craiova. *Oltenia. Studii și comunicări. Științele Naturii*. Muzeul Olteniei Craiova. **27**(2): 96-104.
- MOISE CRISTINA 2011d. Study on contributions to the knowledge of the fauna siebenbürger saxons of lepidoptera in siebenbürger and around sibiu, entomology collections of the museum of natural history in Sibiu. *18 th International Economic Conference*. Sibiu. 179-187.
- NEMEŞ I. & VOICU M. C. 1973. *Catalogul colecției de lepidoptere "Alexei Alexinschi" de la Muzeul Județean Suceava*. Partea III (Superfam: Noctuoidea, Bombycoidea și Sphigoidea). Edit. Muzeului Suceava. 172 pp.
- POPESCU-GORJ A. 1964. *Catalogue de la collection de Lépidoptères <Prof. A. Ostrogovich> du Muséum d'histoire naturelle <Grigore Antipa>*- Bucarest. Edit. Muzeului "Grigore Antipa" București. 292 pp.
- RÁKOSY L. 1993. *Macrolepidopterele din Parcul National Retezat*. Studii ecologice. Brașov. 254-280.
- RÁKOSY L. 1997. *Die endemischen Lepidopteren Rumäniens*. Entomolgy. Roumaniens Cluj-Napoca. **2**: 59-81.
- RÁKOSY L. 2002. Lista rosie pentru fluturii diurni din România. *Buletinul Informativ*. Societatea Lepidopterologică Română. Cluj-Napoca. **13**(1-4): 9-26.
- RÁKOSY L. 2003. Lista roșie pentru fluturii diurni din România (Rote Liste der Tagfalter Rumäniens). *Buletin informativ*. Societatea Lepidopterologică Română. Cluj-Napoca. **13**(1-4): 7-18.
- RÁKOSY L. 2005. U. E. și legislația pentru protecția lepidopterelor din România. *Buletin informativ Entomologic*. Cluj- Napoca. **16**(3-4): 89-96.
- RÁKOSY L., GOIA M., KOVACS L. 2003. *Catalogul lepidopterelor României*. Societatea Lepidopterologică Română. Cluj-Napoca. 446 pp.
- STANCĂ-MOISE CRISTINA 2015a. Information on the Macrolepidoptera fauna of "Dumbrava Sibiului" oak forest (Sibiu, Romania). *The Annals of Oradea University. Biology fascicle*. Sibiu. **22**(1): 33-46.
- STANCĂ-MOISE CRISTINA 2015b. The collection Lepidoptera preserved at the "Lucian Blaga" University Sibiu (Note 1). *Oltenia. Studii și comunicări. Științele Naturii*. Muzeul Olteniei Craiova. **31**(2): 101-114.
- STANCĂ-MOISE CRISTINA 2015c. The collection Lepidoptera preserved at the "Lucian Blaga" University Sibiu (Note 2). *Oltenia. Studii și comunicări. Științele Naturii*. Muzeul Olteniei Craiova. **31**(2): 115-128.

- STANCA-MOISE CRISTINA 2015d. Lepidoptera collected from Dumbrava Sibiu forest, preserved in collections of Museum of Natural History in Sibiu. *The Annals of Oradea University. Biology fascicle.* Sibiu. **22**(2): 81-95.
- STANCA-MOISE CRISTINA 2015e. In memory of Academician, Professor, PhD in biology Victor CIOCHIA Zoologist Entomologist, Ornithologist, *North-Western Journal of Zoology.* Sibiu. **11**(2): 377-378.
- STANCA-MOISE CRISTINA 2016a. The collection Lepidoptera preserved at the "Lucian Blaga" University Sibiu (Note 2). *Oltenia. Studii și comunicări. Științele Naturii.* Muzeul Olteniei Craiova. **32**(2): 79-94.
- STANCA-MOISE CRISTINA 2016b. The butterflies species from the Carpathian Mountains present in the collection of "Lucian Blaga" University, Sibiu. *Oltenia. Studii și comunicări. Științele Naturii.* Muzeul Olteniei Craiova. **32**(2): 95-98.
- STANCA-MOISE CRISTINA 2016c. Nocturnal Lepidoptera captured during 2013-2015 in the specific area Sibiel-Sibiu (Romania). *Scientific Papers Series Management Economic Engineering in Agriculture and Rural Development.* Sibiu. **16**(4): 345 -349.
- STANCA-MOISE CRISTINA 2016d. Behaviour and dynamics of *Mamestra brassicae* species (Lepidoptera: Noctuidae) in an agricultural ecosystem in the town Sibiel, county in regim of the years 2014-2015. *Scientific Papers Series Management Economic Engineering in Agriculture and Rural Development.* Sibiu. **16**(1): 325-329.
- STANCA-MOISE CRISTINA 2016e. Migratory species of butterflies in the surroundings of Sibiu (Romania). *Scientific Papers Series Management Economic Engineering in Agriculture and Rural Development.* Sibiu. **16**(1): 319-324.
- STANCA-MOISE CRISTINA 2016f. Baseline monitoring of Macrolepidoptera in high grasslands around Sibiel, Romania. *Studia Universitatis "Vasile Goldiș". Seria Științele Vieții.* Sibiu. **26**(3): 361-374.
- STANCA-MOISE CRISTINA 2017a. Genus *Maculinea* van Eecke 1915 (Lepidoptera, Lycaenidae), along the time in the Forest "Dumbrava Sibiului" (Sibiu county) Romania. *Scientific Papers Series Management Economic Engineering in Agriculture and Rural Development.* Sibiu. **17**(1): 427-434.
- STANCA-MOISE CRISTINA 2017b. The lepidoptera pest species (Insecta, Lepidoptera) on cabbage crops in the village Sibiel (Sibiu county) Romania. *Series Management, Economic Engineering in Agriculture and Rural Development.* **17**(1): 435-439.
- SZÉKELY L. 1994. Lepidopterele din zona subalpină și alpină a Munților Bucegi. *Buletin Informativ. Societatea Lepidopterologică Română.* Cluj-Napoca. **5**(3-4):187-200.
- SZÉKELY L.1995. Acțiunea schimbărilor condițiilor de mediu asupra lepidopterofaunei din România. *Buletin Informativ. Societatea Lepidopterologică Română.* Cluj-Napoca. **6**(1-2): 27-32.
- SZÉKELY L.1996. *Lepidopterele (Fluturii) din sud-estul Transilvaniei (România).* Edit. Disz-Tipo. Săcele. Sibiu. 78 pp.
- SZÉKELY L.1999a. Actualizarea sistematicii fluturilor diurni din România (Lepidoptera, Rhopalocera). *Buletin Informativ Societatea Lepidopterologică Română.* Cluj-Napoca. **10**(1-4): 225-226.
- SZÉKELY L. 1999b. Macrolepidopterele cu statut incert în lista faunistică a României (Lepidoptera: Macrolepidoptera). *Buletin Informativ Societatea Lepidopterologică Română.* Cluj-Napoca. **10**(1-4): 71-78.
- SZÉKELY L. 2003a. Istorul cercetărilor lepidopterologice din sud-estul Transilvaniei, *Lucrările celei de a 6-a Conferințe Naționale pentru Protecția Mediului prin Metode și Mijloace Biologice și Biotehnice și a celei de a 3-a Conferințe Naționale de Ecosanogeneză.* Sibiu. 318-322.
- SZÉKELY L. 2003b. Rezervația naturală „Dumbrava Vadului” Șercaia – Jud. Brașov – Trecut, prezent și viitor (partea de nevertebrate). *Program LIFE Natura.* Edit. Graphica Print. Brașov. 35-51.
- SZÉKELY L. 2006. *Fluturii din Delta Dunării-The Butterflies and moths of the Danube Delta.* Edit. Disz Tipo. Săcele. 151 pp.
- SZÉKELY L. & CERNEA E. 2007: *Catalogul colecției de lepidoptere „Mircea Brătășeanu”- The Catalogue of „Mircea Brătășeanu” Lepidoptera collection.* Edit. Brastar-Print. Brașov. 197 pp.
- SZÉKELY L. 2008. *The Butterflies of Romania-Fluturii de zi din România.* Edit. Brastar Print. Brașov. 305 pp.
- SZÉKELY L. 2010. *Moths of Romania 1 – Fluturi de noapte din Romania 1, - Hepialidae, Limacodidae, Cossidae, Thyrididae, Lasiocampidae, Endromidae, Saturniidae, Lemoniidae, Sphingidae, Drepanidae, Thaumetopoeidae, Notodontidae, Pantheidae, Lymantriidae, Arctiidae.* Edit. Disz-Tipo. Săcele. 264 pp.
- SZÉKELY L. 2011. *Moths of Romania 2 – Fluturi de noapte din Romania 2, - Geometridae – I- Archiearinae, Ennominae, Alsophilinae, Orthostixinae, Geometrinae.* Edit. Disz-Tipo. Săcele. 196 pp.
- SZÉKELY L. 2014. *Istoria Lepidopterologiei din România.* Brastar Print. Brașov. 297.

Stancă-Moise Cristina

“Lucian Blaga” University of Sibiu,

Faculty of Agricultural Sciences, Food Industry and Environmental Protection, Sibiu, Romania.

E-mail: cristinamoise1@yahoo.com

Received: March 30, 2017

Accepted: June 6, 2017